





Seal Plates


A quick guide to Seal Plates by by Maximum Diameter,
including detailed sizes for identification.

D1 - Maximum diameter
D2 - Secondary location diameter
D3 - Compressor wheel recess diameter
D5 - Piston ring bore diameter
D6 - Total height




Jrone No.	Turbo Model	D1	D2	D3	D4	D5	D6	Type of Back
CZ								
1800-016-050	C-13/14/15	40				11.00	8.20	Deep Back
1800-016-051	TKP7C-6	54				13.00	14.60	Deep Back
1300-016-097B	CZ-K27-145	158.6		79.8	72	19.30	16.70	Flat Back
1300-016-097	CZ-K27-031	158.7		77.8	72	19.30	16.55	Flat Back
GARRETT								
1800-016-012	GT/VNT 15-25	44.5				12.70	6.70	Deep Back
NEW 1300-016-107E	GT/VNT 15-25	79.5		50.3	44.94	10.00	13.13	Deep Back
1300-016-081	GT/VNT 15-25	79.5		50.5	44.94	10.00	13.73	Deep Back
1300-016-068	GT/VNT 15-25	79.5		53.3	44.94	10.00	13.73	Deep Back
1300-016-107	GT/VNT 15-25	79.5		57.5	44.94	10.00	13.73	Deep Back
NEW 1300-016-107D	GT/VNT 15-25	79.5		57.5	44.94	10.00	13.13	Deep Back
1300-016-107B	GT/VNT 15-25	79.5		61.5	44.94	10.00	13.73	Deep Back
NEW 1300-016-107C	GT/VNT 15-25	79.5		61.5	44.94	10.00	13.13	Deep Back
1300-011-023	GT/VNT 15-25	95.0	84.2	45.3	43.94	10.00	12.03	Deep Back
1300-011-009	GT/VNT 15-25	95.0	84.2	45.3	43.94	9.35	11.43	Flat Back
1300-016-070	GT/VNT 15-25	95.0	84.2	47.3	43.94	10.00	12.03	Deep Back
1300-011-001	GT/VNT 15-25	99.0	89.6	50.3	43.94	10.00	12.03	Deep Back
NEW 1300-016-085	GT/VNT 15-25	99.0	89.6	53.5	43.94	10.00	12.03	Deep Back
1300-016-112	GT/VNT 15-25	99.2	89.6	47.3	43.94	10.00	13.65	Deep Back
NEW 1300-016-157	GT/VNT 15-25	102.3	89.6	50.3	43.94	10.00	12.03	Deep Back
NEW 1300-016-151	GT/VNT 15-25	107.5	100.2	53.5	43.94	10.00	13.65	Deep Back
1300-011-013	GT/VNT 15-25	107.5	87.2	53.5	43.94	10.00	11.42	Deep Back
1300-016-131	GT/VNT 15-25	107.5	100.2	53.5	43.94	10.00	12.03	Deep Back
1300-011-014B	GT/VNT 15-25	107.5	87.2	53.5	43.94	10.00	12.03	Deep Back
1300-011-015	GT/VNT 15-25	107.5	87.2	53.5	43.94	10.00	11.42	Deep Back
1300-016-069	GT/VNT 15-25	111.0	91.3	47.3	43.94	10.00	13.65	Deep Back
NEW 1300-016-025B	GT/VNT 15-25	111.0	91.3	47.3	43.94	10.00	12.03	Deep Back
1300-016-025	GT/VNT 15-25	111.0	91.3	50.3	43.94	10.00	12.03	Deep Back
1300-016-062	GT/VNT 15-25	111.0	91.3	50.3	43.94	10.00	13.65	Deep Back
NEW 1300-016-147	GT/VNT 15-25	111.0	91.3	50.3	43.94	10.00	11.42	Deep Back
1300-011-016	GT/VNT 15-25	111.5		45.3	43.94	10.00	11.80	Deep Back
NEW 1300-016-155	GT/VNT 15-25	112.0	108.7	45.3	43.94	10.00	11.75	Deep Back
1300-011-007	GT/VNT 15-25	112.0	96.2	53.5	43.94	10.00	12.03	Deep Back
1300-016-073	GT/VNT 15-25	112.2	96.2	53.5	43.94	10.00	13.65	Deep Back
1300-016-101	GT/VNT 15-25	112.2	98.3	53.5	43.94	10.00	11.40	Deep Back
1300-016-035	GT/VNT 15-25	117.5	114.1	45.3	43.94	10.00	13.45	Deep Back
1300-011-017	GT/VNT 15-25	119.7	95.3	50.3	43.94	10.00	12.03	Deep Back
1300-016-017	GT/VNT 15-25	119.7	97.7	50.3	43.94	10.00	12.03	Deep Back
1300-016-043	GT/VNT 15-25	120.0	100.2	47.3	43.94	10.00	12.03	Deep Back
1300-011-018	GT/VNT 15-25	120.0	100.2	53.5	43.94	10.00	12.03	Deep Back
1300-016-105	GT/VNT 15-25	121.5	112.7	61.0	43.94	10.00	11.80	Deep Back

D1 - Maximum diameter
 D2 -Secondary location diameter
 D3 - Compressor wheel recess diameter
 D5 - Piston ring bore diameter
 D6 - Total height




Jrone No.	Turbo Model	D1	D2	D3	D4	D5	D6	Type of Back
GARRETT								
NEW 1300-016-010	GT/VNT 15-25	121.5	112.7	61.3	43.94	10.00	13.65	Deep Back
1300-016-061	GT/VNT 15-25	122.0	97.2	53.5	43.94	10.00	12.03	Deep Back
1300-016-080	GT/VNT 15-25	124.0	100.2	50.3	43.94	10.00	13.65	Deep Back
NEW 1300-016-024B	GT/VNT 15-25	124.0	100.2	50.3	43.94	10.00	12.03	Deep Back
1300-011-026C	GT/VNT 15-25	124.0	100.2	53.5	43.94	10.00	13.02	Deep Back
1300-016-024	GT/VNT 15-25	124.0	100.2	53.5	43.94	10.00	12.03	Deep Back
1300-011-026B	GT/VNT 15-25	124.0	100.2	53.5	43.94	10.00	13.65	Deep Back
1300-011-019	GT/VNT 15-25	124.0	100.2	57.5	43.94	10.00	12.03	Deep Back
1300-011-026	GT/VNT 15-25	124.0	100.2	57.5	43.94	10.00	13.65	Deep Back
1300-016-064	GT/VNT 15-25	124.7	112.3	71.0	79.32	12.70	19.30	Deep Back
1300-016-106	GT/VNT 15-25	125.2	118.0	47.3	43.94	10.00	12.03	Deep Back
1300-011-020	GT/VNT 15-25	125.2	118.0	50.3	43.94	10.00	12.03	Deep Back
1300-016-108	GT/VNT 15-25	125.2	118.0	50.3	43.94	10.00	13.65	Deep Back
1300-011-002	GT/VNT 15-25	129.0	100.2	53.5	43.94	10.00	12.03	Deep Back
1300-011-021B	GT/VNT 15-25	129.0	100.2	57.5	43.94	10.00	12.03	Deep Back
1300-011-021	GT/VNT 15-25	129.0	100.2	57.5	43.94	10.00	13.65	Deep Back
1300-016-026	GT/VNT 15-25	129.0	112.0	57.5	43.94	10.00	13.02	Deep Back
1300-016-026B	GT/VNT 15-25	129.0	112.0	57.5	43.94	10.00	13.65	Deep Back
1300-011-022	GT/VNT 15-25	129.0	120.2	61.0	43.94	10.00	11.43	Deep Back
1300-016-066	GT/VNT 15-25	134.2	126.9	53.5	43.94	10.00	12.03	Deep Back
1300-016-028	GT/VNT 15-25	138.0	116.0	61.1	43.94	10.00	13.65	Deep Back
1800-016-035	TB25	44.5				9.30	8.00	Deep Back
1800-016-079	GT2860RS	48.1				13.60	12.00	Deep Back
1800-016-067	T12	63.4				18.20	17.50	Deep Back
NEW 1800-016-066	TM5401	85.0				17.50	6.80	Deep Back
								Deep Back
1300-016-007B	T300	121.7	112.5	64.2	79.32	12.70	21.20	Deep Back
1300-016-007	TA0301/TA0318	121.9	112.8	61.2	79.32	12.70	21.20	Deep Back
1300-016-050	TB2810	121.9	112.7		95.20	87.50	12.70	Deep Back
1300-016-074	TA3403	133.0	114.3	61.5	79.32	12.70	21.40	Deep Back
1300-016-009	TO4B27	133.2	114.2	71.0	79.32	12.70	19.42	Deep Back
NEW 1300-016-116	TB28	133.3	114.3		91.24	12.80		Deep Back
1300-016-001	TA3408/T04E45	155.3	139.5	83.0	79.32	12.70	22.50	Deep Back
1300-016-006	TB4122/T04E66	155.3	139.5	78.0	79.32	12.70	22.50	Deep Back
NEW 1300-016-139	GT3267	155.3	131.7	68.5	67.85	12.70	17.95	Deep Back
NEW 1300-016-138	GT3571S	155.3	139.5	72.4	67.85	12.70	17.95	Deep Back
1300-016-032	GT3576DL	163.8	148.9	78.0	67.85	12.70	18.00	Deep Back
1300-016-088	TM5401	164.1	149.8	92.3		17.50	11.10	Deep Back
1300-016-099	GTP38	169.8		82.0	73.70	12.70	28.90	Deep Back
NEW 1300-016-099B	GTP38	169.8		82.0	73.70	12.70	28.90	Deep Back
NEW 1300-016-110B	GT3782	172.6	155.5	83.5	73.60	14.28	21.30	Deep Back
1300-016-158	GT3788BLVAVA							Deep Back
NEW 1300-016-136	GTA3782S/GTA4082	172.6	155.5	83.5	73.55	17.80	23.00	Deep Back

- D1 - Maximum diameter
D2 - Secondary location diameter
D3 - Compressor wheel recess diameter
D5 - Piston ring bore diameter
D6 - Total height




Jrone No.	Turbo Model	D1	D2	D3	D4	D5	D6	Type of Back
GARRETT								
1300-016-048	GT39	172.6	155.5	85.9	73.55	18.00	23.00	Deep Back
1300-016-110	GT4088	172.6	155.5	89.4	73.60	14.28	21.30	Deep Back
1300-016-132	GT4288	172.6	155.5	89.4	84.91	17.48	20.18	Deep Back
NEW 1300-016-132B	GT4594S	172.6	155.6	95.1	84.91	17.48	20.18	Deep Back
1300-016-014	TA45	172.6	155.6	85.5	84.95	17.45	18.00	Deep Back
NEW 1300-016-014B	TA5102	172.6	155.6	92.5	84.95	17.45	18.00	Deep Back
1300-016-134	GT3271S	180.9	139.5	73.0	67.85	12.70	17.95	Deep Back
1300-016-086	GT4294	194.1	177.0	95.0	84.91	17.48	20.18	Deep Back
NEW 1300-016-140	GT4549S	194.1	177.0	95.0	84.91	17.80	20.75	Deep Back
NEW 1300-016-152	GT4594	194.1	177.0	95.0	84.91	20.57	16.75	Deep Back
NEW 1300-016-142	TV8110/TV8108	194.5	177.8	110.7	79.35	17.48	26.10	Deep Back
1300-016-076	GT37	195.2	148.7	78.0	73.55	14.28	21.29	Deep Back
1300-016-135	GT3576	195.3	148.7	78.0	67.85	12.70	17.95	Deep Back
1300-016-076B	GTA3776	195.3	148.7	77.5	73.55	17.80	23.00	Deep Back
1300-016-146	GT4594	196.2	176.9	95.0	84.85	17.50	20.20	Deep Back
1300-016-077	TMF5502	199.3	177.6	103.6	85.00	17.50	22.00	Deep Back
1300-016-115	GTA4294	199.5	177.8	95.5	84.91	17.30	20.80	Deep Back
NEW 1300-016-142B	TV7504/TV7506	199.5	177.8	104.0	79.35	17.48	26.10	Deep Back
NEW 1300-016-142C	TV7805	199.5	177.8	103.1	79.38	17.48	26.10	Deep Back
1300-016-142D	BT5501	199.8	177.8	104.2	84.91	30.15	29.5	Deep Back
1300-016-065	GTP38	200.0		82.0	73.70	12.70	48.80	Deep Back
1300-016-075B	GTA3782	208.9	160.0	83.5	73.55	17.80	23.00	Deep Back
1300-016-075	GTA3782B	208.9	160.0	83.0	73.55	14.28	21.29	Deep Back
NEW 1300-016-087	GT3782VA	209.8		83.3	73.60	14.30	35.40	Deep Back
1300-016-079	GT37VA	209.9		89.6	73.60	14.30	35.50	Deep Back
1300-016-137	GTA47	232.6	209.4	104.2	84.95	23.40	29.50	Deep Back
HITACHI								
1800-016-025	HT06	59.0	38.2			10.00	9.00	Deep Back
1800-016-025B	HT06	59.0	39.2			10.00	9.00	Deep Back
1300-016-094	HT07-B	89.6	83.8	43.0	20.7	15.6	8.2	Deep Back
1300-016-094B	HT10	89.6	83.8	52.0	60.95	12.7	7.27	Deep Back
1300-016-130	HT12	101.7	94.8	57.0	60.95	12.7	7.27	Deep Back
NEW 1300-016-130B	HT12	101.7	94.8	58.0	60.95	12.7	7.27	Deep Back
1300-016-121	HT12-22/HT12-19B	133	129.8	55.5	66.05	12.7	13.84	Deep Back
HOLSET								
1800-016-009	HX35/HX40/HX30	52				16.13	12.50	Deep Back
NEW 1800-016-038	H2D-9	68				16.13	9.80	Deep Back
1800-016-024	HX50/H2C/H2D	68				16.13	11.10	Deep Back
1800-016-039	HT60/HT3B	69.8				19.05	12.00	Deep Back
NEW 1800-016-077	HX60W	69.8				19.05	12.00	Deep Back
NEW 1300-016-150	HE341V	114		79.6	47.53	16.13	17.35	Deep Back
1300-016-093	HE351VE	125.2	113.7	70.3	87.3	16.13	17.4	Deep Back

D1 - Maximum diameter
D2 - Secondary location diameter
D3 - Compressor wheel recess diameter
D5 - Piston ring bore diameter
D6 - Total height



Jrone No.	Turbo Model	D1	D2	D3	D4	D5	D6	Type of Back	
HOLSET									
1300-016-122	HE431V/HE431VE	134.5		89.5	47.53	16.13	17.35	Deep Back	
1300-016-083	HY55V	164.4		104.5	55.43	16.13	21.30	Deep Back	In Development
1300-016-005	H1C/H1E	167.9	147.9	84.8	75.05	16.10	20.60	Deep Back	
IHI									
NEW 1800-016-078	RHF25	18		8.1	3.2	7.00	3.40	Deep Back	
1800-016-001	RHB31	41		17.1	3.2	8.00	8.00	Flat Back	
1800-011-001	RHF3	43		17.1	3.2	8.00	4.30	Deep Back	
NEW 1800-016-055	RHF3	43		17.1	3.2	8.00	4.80	Flat Back	
1800-016-049	RHV4/RHV5S	49		17.1	3.2	10.00	6.70	Deep Back	
1800-016-061	RHF4	50.8		17.1	3.2	10.00	6.00	Deep Back	
1800-016-033	RHB5	50.8		17.1	3.2	10.00	9.40	Flat Back	
1800-016-033B	RHB5	50.8		17.1	3.2	10.00	9.90	Deep Back	
NEW 1800-016-042	RHC6	60		17.1	3.2	12.40	9.10	Deep Back	
1800-016-042B	RHC6	60		17.1	3.2	12.40	10.00	Deep Back	
1800-016-043	RHC7	70		17.1	3.2	16.00	12.30	Deep Back	
NEW 1800-016-045	RHC9	80		17.1	3.2	20.00	14.30	Deep Back	
1300-016-129	RHF4	97	88.3	48.3	57.1	10.00	10.70	Deep Back	
1300-016-133	RHF3	97.6	87.5	36.4	48.5	7.90	22.80	Flat Back	
1300-016-144	RHF4	115.4	103.9	52.2	57	10.00	15.00	Deep Back	In Development
NEW 1300-016-128	RHF4V/RHF5V	119.3	106	57.1	59.1	10.00	12.70	Deep Back	
1300-016-141	RHF5	119.4	106.1	53.6	59.04	10.00	12.65	Deep Back	
NEW 1300-016-141B	RHF55	119.4	106.1	57.0	59.04	10.00	12.65	Deep Back	
NEW 1300-016-126	RHF55	119.5	106.2	61.2	64.1	12.40	14.80	Deep Back	
1300-016-149	RHF4	123.6	97.9	48.6	57	10.00	15.26	Deep Back	
NEW 1300-016-092	RHF4	124	97.9	53.5	57	10.00	15.25	Deep Back	
1300-016-126B	RHF55V	131.5	118	66.2	64.1	12.40	15.40	Deep Back	In Development
1300-016-022C	RHF4	139.1	113	48.0	57	10.00	14.80	Deep Back	
1300-016-022	RHF4	139.4	112.9	53.5	57	10.00	15.00	Deep Back	
1300-016-022B	RHF4/RHF5	139.7	113	53.4	57	10.00	14.70	Deep Back	
1300-016-113	RH4V	140	113	49.2	57	10.00	14.76	Deep Back	
1300-016-117	RHF4	140	113	48.0	57	10.00	14.76	Deep Back	
1300-016-022D	RHF4H	140	113	48.0	57	10.00	14.76	Deep Back	
NEW 1300-016-082	RHF5	140	113	53.5	59.04	10.00	15.90	Deep Back	
1300-016-096	RHF5	140	113	49.1	59.04	10.00	15.90	Deep Back	
1300-016-096B	RHF5	140	113	53.6	59.04	10.00	15.90	Deep Back	
1300-016-102	RHF5	140	113	53.6	59.04	10.00	15.90	Deep Back	
1300-016-148	RHG6	167.1	149.1	84.5	82.05	14.00	14.90	Deep Back	
KKK									
1800-016-032	BV39	46.8		46.8		10.00	9.20	Flat Back	
1800-016-057	BV39	46.8		46.8		10.00	9.20	Deep Back	
1800-016-073	KP31	46.8		34		10.00	10.70	Flat Back	
1800-016-003	KP35	46.8		38		10.00	10.70	Deep Back	

- D1 - Maximum diameter
D2 -Secondary location diameter
D3 - Compressor wheel recess diameter
D5 - Piston ring bore diameter
D6 - Total height




Jrone No.	Turbo Model	D1	D2	D3	D4	D5	D6	Type of Back
KKK								
1800-016-006	KP35	46.8		42		10	10.7	Flat Back
1800-016-068	KP35	46.8		38		10	10.7	Flat Back
1800-016-071	KP35/KP39	46.8		42		10	10.7	Deep Back
NEW 1300-016-063B	BV43	95.9	85.9	47.3	36	10	16.7	Deep Back
1300-016-063	BV43	95.9	85.9	47.3	36	10	16.7	Deep Back
1300-016-042B	BV43	108.9	85.2	47.2	36	10	16.7	Deep Back
1300-016-047B	BV43	108.9	76	52.2	36	10	16.7	Deep Back
NEW 1300-016-154	BV45	119.9	116	52.3	36	10	16.7	Deep Back
1300-016-042	K03/K04	108.9	85.2	52.2	36	10	16.7	Deep Back
1300-016-042C	K03/K04	108.9	85.2	47.3	36	10	18.5	Deep Back
1300-016-047	K03/K04	108.9	76	47.2	36	10	16.7	Deep Back
1300-016-095	K03/K04	108.9	85.2	57.2	36	10	16.7	Deep Back
NEW 1300-016-153	K03/K04	108.9	99.8	57.5	36	10	18.5	Deep Back
1300-016-054	K03/K04	110.9	90.5	52.3	36	10	16.7	Deep Back
1300-016-002	K03/K04	112.9	76	51.2	36	10	16.7	Deep Back
1300-016-033	K03/K04	112.9	86.8	57.5	36	10	16.7	Deep Back
1300-016-034	K03/K04	112.9	85.2	52.2	36	10	16.7	Deep Back
NEW 1300-016-034B	K03/K04	112.9	85.2	47.2	36	10	16.7	Deep Back
1300-016-037	K03/K04	112.9	71.6	46.2	36	10	16.7	Deep Back
1300-016-040	K03/K04	112.9	76	47.2	36	10	16.7	Deep Back
1300-016-046	K03/K04	112.9	76	46.2	36	10	16.7	Deep Back
1300-016-091	K03/K04	112.9	71.6	47.2	36	10	16.7	Deep Back
1300-016-127	K03/K04	129.9		57.4	36	10	16.7	Deep Back
1300-016-038	K14	108		51.5	54	14	12.3	Flat Back
NEW 1300-016-143	K14	113	86	52.2	54	14	14.85	Deep Back
1300-016-039	K14	118		56.5	54	14	12.3	Flat Back
1300-016-104	K14	130		56.5	54	14	12.3	Deep Back
1300-016-060	K14	130		62.0	54	14	12.3	Flat Back
1300-016-078B	K16	118		62.0	54	14	15.2	Deep Back
1300-016-078C	K16	118		63.0	54	14	15	Deep Back
1300-016-078	K16	118		65.0	54	14	16.3	Deep Back
1300-016-089	K24	130		62.2	72	14	16.5	Flat Back
1300-016-125	K24	135	128.7	63.3	72	14	20.65	Deep Back
1300-016-067	K24	158.8	153.7	70.2	72	14	17.3	Deep Back
1300-016-124	K27	157.5	139.9	75.0	72	14	18	Deep Back
1300-016-015	K27	158.6		84.0	72	14	18	Deep Back
1300-016-051	K27	160.9	155.9	75.7	72	14	18	Deep Back
1300-016-120	K27	160.9	155.9	83.8	72	14	18	Deep Back

In Development

In Development

D1 - Maximum diameter
 D2 - Secondary location diameter
 D3 - Compressor wheel recess diameter
 D5 - Piston ring bore diameter
 D6 - Total height



Jrone No.	Turbo Model	D1	D2	D3	D4	D5	D6	Type of Back
KKK								
1300-016-090	K27	182	145	78.7	72	14.00	19.10	Deep Back
1800-016-060	K31/K29	64.9				16.00	10.00	Deep Back
MHI								
1800-016-052	TD025	39.9				8.00	10.80	Flat Back
1800-016-046	TD025/TD03	39.9				8.00	10.00	Deep Back
1800-016-016	TD04/TF035	39.9				10.00	10.00	Deep Back
1800-016-030	TD04/TE04	39.9				10.00	10.80	Flat Back
1800-016-015	TD05/TD06	50				12.40	9.80	Deep Back
1800-016-014	TD06/TD05H-12B-6	50				12.40	10.80	Flat Back
NEW 1800-016-037	TF08L	59.9				15.88	12.20	Deep Back
1800-016-056	TD13	69.9				22.00	14.30	Deep Back
1300-016-145	TD13	214.8	210.2	137.6			10.00	Deep Back
SCHWITZER								
1800-016-064	S100/S1B	38				11.10	8.30	Deep Back
NEW 1800-016-075	B1G	38				11.10	9.20	Deep Back
1800-016-062	B2	53.9				16.00	12.50	Deep Back
1800-016-065	S200G	53.9				16.00	11.90	Deep Back
NEW 1800-016-076	S2A	53.9			15.8	12.70	15.75	Deep Back
1800-016-020	S2B/S2EGL	53.9				12.70	14.10	Deep Back
1800-016-034	S300/S300G071	53.9				18.03	12.10	Deep Back
NEW 1800-016-062B	B2V VNT	54.9				16.00	12.50	Deep Back
NEW 1800-016-063	V2S	64.9				16.00	11.40	Deep Back
NEW 1800-016-004	4LGZ/S4DS/4LF	69.9				22.22	12.00	Deep Back
1800-016-027	S400/S410	69.9				22.00	16.90	Deep Back
NEW 1800-016-074	S3A/S3B	69.9				15.88	17.80	Deep Back
TOYOTA								
1800-016-017	CT12	45				11.00	10.60	Deep Back
1800-016-023	CT12D	45				11.00	11.00	Deep Back
1800-016-069	CT12C	45				11.00	12.00	Deep Back
1800-016-018B	CT20	50			6.1	12.90	11.00	Deep Back
NEW 1800-016-018C	CT20	50				11.00	11.00	Deep Back
1800-016-036	CT20	50			7.5	12.90	11.00	Deep Back
1800-016-018	CT26	50			6.1	12.65	11.00	Deep Back
1800-016-036B	CT26	50			7.5	12.65	11.00	Deep Back
1800-016-028	CT12B/CT26	55				11.00	11.60	Deep Back
1800-016-058	CT9	63				10.00	11.00	Deep Back
1300-016-056B	CT10	134.5	125	52.5	54.5	11.00	18.90	Deep Back
1300-016-056	CTVNT	134.5	125	59.2	54.5	11.00	18.90	Deep Back

In Development
 Seal Plates

W/D Carbon Seal
 W/D Carbon Seal
 W/D Carbon Seal

